
ARTICLE XII

OFF - STREET LOADING AND/OR UNLOADING REGULATIONS

SECTION 12.0 GENERAL REQUIREMENTS

- A. GENERAL: For all buildings and structures erected, altered, or extended, and all uses of land established as specified herein, after the effective date of this ordinance, off - street loading and/or unloading facilities shall be provided as required by the regulations herein. However, where a building permit has been issued prior to the date of the adoption of this ordinance, and provided that construction has not begun within ninety (90) days of such effective date, off-street loading and/or unloading facilities in the amounts required by this ordinance, shall prevail.
- B. SPACES REQUIRED
1. Every building, or part thereof, erected and occupied for uses permitted in commercial and industrial zones, including conditional uses permitted in residential zones, involving the receipt or distribution of vehicles, materials, or merchandise, and having up to five thousand (5,000) square feet of gross floor area, shall be provided with at least one (1) off street loading and/or unloading space. A study shall be prepared by the company or operator to determine the additional loading and/or unloading space needs over and above the first space required for the specific use proposed. In determining the number of spaces needed, the study shall take into the consideration the following:
 - a. estimated and projected arrival and departure rates for scheduled and unscheduled trucks
 - b. estimated and projected length of truck stop duration for loading and/or unloading of each truck
 - c. estimated number of trips by vehicle type (i.e., two axle vehicles, semi - tractor trailers, etc.) and size

The zoning administrator shall review the study of estimated and projected loading and/or unloading needs and make a determination if the number of spaces provided are adequate for the use proposed.

2. If it is determined by the zoning administrator, based on existing conditions of the proposed site, the design of the building, and the

completed needs study, that additional off - street loading and/or unloading spaces are needed to accommodate the facilities than could be reasonably provided, the zoning administrator shall require that additional off - street parking areas, properly designed to handle the parking of trucks, including the maneuvering of the trucks to and from the space, be provided for the storage of trucks waiting to be loaded and/or unloaded.

3. If, after approval by the zoning administrator of the number of spaces and any storage of truck parking needed to accommodate the off - street loading and/or unloading of trucks for a specific use, a need exists, based on operation of the specific use, to provide additional off - street loading and/or unloading spaces or storage of trucks than was previously determined, the zoning administrator may require that corrective action be taken to eliminate any deficiencies as follows:

- a. limit the time and interval of arrival and departure of trucks, commensurate with the need
- b. require additional off - street loading and/or unloading spaces, or require that adequate off - street parking areas be provided for the storage of trucks waiting to be loaded and/or unloaded

C. **ADDITIONAL LOADING AND/OR UNLOADING SPACES TO BE PROVIDED:** Whenever the intensity of use of any building, structure, or premises is increased through addition of gross floor area, change of use, or increased activity, additional off - street loading and/or unloading spaces shall be provided in accordance with the requirements of Section 12.0, B. of this ordinance, if it is determined by the zoning administrator that the existing spaces are not adequate to serve such increase in intensity.

D. **LOCATION OF OFF - STREET LOADING AND/OR UNLOADING AREA:** All off - street loading and/or unloading spaces shall be located on the same lot as the use served. No Off - street loading and/or unloading for vehicles over two - ton capacity shall be closer than fifty (50) feet to any property in a residential zone unless completely enclosed by a fence, wall, or screen, as regulated by Article XIII of this ordinance. No loading and/or unloading space shall be located in any required yards except as herein provided.

E. **DRIVEWAYS NOT COMPUTED AS PART OF REQUIRED LOADING AND/OR UNLOADING AREA:** Entrances, exits, or driveways shall not be computed as any part of a required off - street loading and/or unloading space.

F. **OFF - STREET LOADING AND/OR UNLOADING SPACE TO BE USED FOR LOADING AND/OR UNLOADING ONLY:** Any off - street loading and/or

unloading space shall be used for loading and/or unloading only. Any other use of such space, including repair work or servicing of any kind, other than in an emergency, or the requirement of any payment for the use of such space, shall be in violation of the provisions of this ordinance.

- G. **NO BUILDING TO BE ERECTED IN OFF - STREET LOADING AND/OR UNLOADING SPACE:** No building of any kind shall be erected in any off - street loading and/or unloading space.
- H. **OFF - STREET LOADING AND/OR UNLOADING SPACE SHALL NOT BE REDUCED:** The required parking spaces, as set forth and designated in this ordinance, shall not be reduced, except as provided for in this ordinance.
- I. **LOADING AND/OR UNLOADING PLAN APPROVAL REQUIRED:** Plans for all off - street loading and/or unloading facilities shall be submitted to the zoning administrator for review and for compliance with the provisions of this ordinance and such other pertinent ordinances of the legislative body. Such plans shall show the number and location of off - street loading and/or unloading spaces, including necessary maneuvering areas of trucks, dock and apron approach, arrangements of access aisles, location of access points onto adjacent streets, provisions for truck circulation, location of curbs on or adjacent to the property, utilities, location of signs, typical cross - sections of pavement, including base and sub - base, proposed grade of lot, storm drainage facilities, location and type of lighting facilities, and such other information or plans as the circumstances may warrant. Where such loading and/or unloading plans include provisions for access points to adjacent streets, then said plans shall also be prepared in accordance with the requirements of Section 11.3 of this ordinance.

SECTION 12.1 DESIGN AND LAYOUT OF OFF - STREET LOADING AND/OR UNLOADING AREAS

- A. **SIZE OF OFF - STREET LOADING AND/OR UNLOADING SPACE:** Each off - street loading and/or unloading space shall be at least fourteen (14) feet in width and at least sixty (60) feet in length, exclusive of aisle and maneuvering spaces. Such space shall have a vertical clearance of at least fifteen (15) feet, provided, however, that when it is demonstrated that a particular off - street loading and/or unloading space will be used by shorter trucks, as provided for in Section 12.0, B. of this ordinance, the zoning administrator may reduce the minimum length to not less than thirty - five (35) feet.
- B. **ACCESS:** Each required off - street loading and/or unloading space shall be designed with direct access, via an approved access drive, to a deeded right -of -

way which offers efficient ingress, egress, and safety for trucks. Access drives or aisles shall be laid out with a width of at least twelve (12) feet for one way circulation and at least twenty - four (24) feet for two - way circulation, with intersection radii not to be less than fifty (50) feet.

Off - street loading and/or unloading space shall be so designed and constructed so that all maneuvering for loading and/or unloading can take place entirely within the property lines of the premises being served. Such off – street loading and/or unloading space shall be so located as not to hinder the free movement of pedestrians and vehicles over a sidewalk or street.

- C. OTHER DESIGN FEATURES: Docks are to be designed to facilitate efficient loading and/or unloading. Platform heights shall be forty - four (44) inches for light pickup and delivery trucks and forty - eight (48) to fifty - two (52) inches for heavy trucks and trailers. The dock area shall be at least twice the total body floor area of the largest number of trucks that can be docked at one time. Minimum dock overhead clearance (including pipes, lights, etc.) shall be twelve (12) feet.
- D. PAVING OF OFF-STREET LOADING AND/OR UNLOADING AREAS: All off - street loading and/or unloading areas, including spaces, maneuvering, and storage areas for truck parking shall be paved with asphalt concrete or portland cement concrete and shall be designed and constructed in accordance with Appendix A of this ordinance.
- E. LIGHTING: Any lighting used to illuminate off-street loading and/or unloading areas shall not glare upon any right - of - way or adjacent property.
- F. SCREENING AND LANDSCAPING: All off - street loading and/or unloading areas, including storage of parked trucks, shall be effectively screened on each side adjoining or fronting on any property situated in a residential zone, as regulated by Section 9.15 of this ordinance. Ground cover shrubs and trees shall be located and maintained so as to not interfere with vehicular and pedestrian traffic on the property or with sight distance clearance at entrances and exits.